



MARIN/SONOMA MOSQUITO AND VECTOR CONTROL DISTRICT

595 Helman Lane, Cotati, CA. 94931 (707) 285-2200 FAX: 285-2210 www.msosquito.com

~ News Release ~

Contact: *Jim Wanderscheid*
(Manager)
(707-285-2200)
(707-285-2210) FAX

FOR IMMEDIATE RELEASE

TEN MORE BIRDS FOUND THIS WEEK WITH WEST NILE VIRUS IN MARIN AND SONOMA COUNTY

(Cotati), California September 10th, 2004 the presence of West Nile Virus (WNV) has been detected in Sonoma and Marin county. WNV is a viral disease of birds that can be transmitted to humans by a mosquito that has fed on an infected bird.

Ten more birds have tested positive for WNV in Sonoma and Marin County by the **Marin/Sonoma Mosquito and Vector Control District** in cooperation with the California State Health Department.

The birds were reported from the following County /Cities: **Marin County** – 2 Pine Siskins from Tomales reported on 8/23/2004, 1 Western Scrub Jay from Tiburon in the area of Marsh Rd. and Tiburon Blvd reported on 8/18/2004, 1 Western Scrub Jay from Woodacre in the area of Grant St. and Central reported on 8/19/2004. **Sonoma County** - 1 Western Scrub Jay from Sonoma in the area of Carillo. and Verano reported on 8/23/2004, 1 Dark-eyed Junco from Sonoma in the Diamond A area reported on 8/24/2004, 1 Western Scrub Jay from Forestville in the area of Trenton Rd. reported on 8/30/2004, 1 Western Scrub Jay from Petaluma in the area of King Rd. and Pepper Rd. reported on

8/30/2004, 1 Western Scrub Jay from Sebastopol in the area of Sanderas Rd. reported on 8/31/2004 and 1 Spotted Towhee from Guerneville in the area of Brookside Ln. reported on 8/26/2004. This brings the total of WNV positive dead birds to thirty-four in the two counties (24 in Sonoma County and 10 in Marin County). The detection of WNV in wild birds indicates the virus is present. No human cases or mosquito pools have been reported positive at this time in either County. The District is checking all know mosquito breeding sites and setting adult mosquito traps in the areas where the birds have been found. We ask that the public remain diligent in their own mosquito control efforts by checking their yards for breeding sources since they are generally the main source for mosquitoes.

Symptoms of WNV range from mild flu-like conditions, such as fever, headache, and nausea to a stiff neck, restlessness, stupor, delirium, and convulsions. Most cases are mild; however, fatalities can occur in extreme cases. There is no vaccine for WNV.

- Avoid being outside when mosquitoes are most active, between dusk and dawn.
- When engaging in outdoor activities, wear long-sleeved shirts, long pants, and apply insect repellent according to label instructions. Products containing the active ingredient DEET have been proven to be the most effective.
- Screen all windows and make sure the screens are in good repair.
- Identify and eliminate all sources of standing water around your property that can support mosquito breeding.
- Remove water from rain gutters, boat covers, tires, tree holes, plastic containers, and any other areas that contain standing water.
- Report dead crows, ravens, magpies, jays and raptors that have been dead for less than 24 hrs.

On Line Reporting is Preferred at <http://westnile.ca.gov/deadbird.cfm> .The toll-free line to report dead birds is 1-877-WNV-BIRD (1-877-968-2473).

- Horses are susceptible to mosquito-borne viruses and should be vaccinated.

For more mosquito control ideas contact the District at (707-285-2200)

L2a