



MARIN/SONOMA MOSQUITO AND VECTOR CONTROL DISTRICT

595 Helman Lane, Cotati, CA. 94931 (707) 285-2200 FAX: 285-2210 www.ms mosquito.com

~ News Release ~

Contact: *Jim Wanderscheid*
(Manager)
(707-285-2200)
(707-285-2210) FAX

FOR IMMEDIATE RELEASE

FOUR MORE BIRDS FOUND WITH WEST NILE VIRUS IN MARIN AND SONOMA COUNTY

(Cotati), California October 14th, 2004 the presence of West Nile Virus (WNV) has been detected in Sonoma and Marin county. WNV is a viral disease of birds that can be transmitted to humans by a mosquito that has fed on an infected bird.

Four more birds have tested positive for WNV in Sonoma and Marin County by the **Marin/Sonoma Mosquito and Vector Control District** in cooperation with the California State Health Department.

The birds were reported from the following County /Cities: **Marin County** – 1 Golden-crowned Sparrow from Greenbrae in the area of Vista Grande submitted on 10/4/2004, 1 Swainsons Thresh from Inverness in the area of Aberdeen Way submitted on 10/4/2004. **Sonoma County** – 1 California Towhee from Guerneville in the area of Western Ave. submitted on 10/4/2004 and 1 Fox Sparrow from Penngrove in the area of Hatchery Rd. submitted on 9/30/2004. This brings the total of WNV positive dead birds to sixty in the two counties (44 in Sonoma County and 16 in Marin County). **The California Department of Health Services will no longer be accepting dead birds from the following cities/zip codes:**

Cotati 94931, Forestville 95436, Petaluma 94952 and 94954, Rohnert Park 94928, Santa Rosa 95403 and 95404, Sonoma 95476, Sebastopol 95472, San Rafael 94901 and Tomales 94971. These areas are now considered endemic to West Nile Virus and dead birds will not be accepted. **Birds will still be accepted from all other zip codes in the two Counties until further notice.** The detection of WNV in wild birds indicates the virus is present. No human cases have been reported positive at this time in either County. The District is checking all know mosquito breeding sites and setting adult mosquito traps in the areas where the birds have been found. We ask that the public remain diligent in their own mosquito control efforts by checking their yards for breeding sources since they are generally the main source for mosquitoes.

Symptoms of WNV range from mild flu-like conditions, such as fever, headache, and nausea to a stiff neck, restlessness, stupor, delirium, and convulsions. Most cases are mild; however, fatalities can occur in extreme cases. There is no vaccine for WNV.

- Avoid being outside when mosquitoes are most active, between dusk and dawn.
- When engaging in outdoor activities, wear long-sleeved shirts, long pants, and apply insect repellent according to label instructions. Products containing the active ingredient DEET have been proven to be the most effective.
- Screen all windows and make sure the screens are in good repair.
- Identify and eliminate all sources of standing water around your property that can support mosquito breeding.
- Remove water from rain gutters, boat covers, tires, tree holes, plastic containers, and any other areas that contain standing water.
- Report dead crows, ravens, magpies, jays and raptors that have been dead for less than 24 hrs. On Line Reporting is Preferred at <http://westnile.ca.gov/deadbird.cfm> .The toll-free line to report dead birds is 1-877-WNV-BIRD (1-877-968-2473).
- Horses are susceptible to mosquito-borne viruses and should be vaccinated.

L2a